

Printing date 02/25/2013 Reviewed on 02/25/2013

1 Company and Substance / Formulation Identification

- · Product identifier
 - · Product name: YELLOW JACKET Oil and Fluid Dye
 - Product Code 69733, 69734, 69735, 69736
 - \cdot Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / preparation Dyestuff/Colouring agent
- · Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Ritchie Engineering Co., Inc. 10950 Hampshire Avenue South Bloomington, MN 55437 USA (952)943-1333

Department: RegulatoryEmergency Telephone:

For Chemical / Medical Emergency, 24 hours:

INFOTRAC: (800) 535-5053 (US and CDN) 1-352-323-3500 (INTL)

2 Hazards identification

· Classification of the substance or mixture



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Additional information:

As per GHS rules, liquid hydrocarbons which display a low kinematic viscosity are categorized as aspiration hazards.

- · Label elements
 - · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS08
- Signal word Danger
- · Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light naphthenic

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
 - · NFPA ratings (scale 0 4)



Health = 1 Fire = 1 Reactivity = 0

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet OSHA 29 CFR 1910.1200

Printing date 02/25/2013 Reviewed on 02/25/2013

Product name: YELLOW JACKET Oil and Fluid Dye

· HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 1
FIRE 1 Fire = 1
REACTIVITY 0 Reactivity = 0

· Other hazards Personal Protection Index: E

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: Mixture of the substances listed below with nonhazardous additions.
 - · Hazardous components:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

♦ Asp. Tox. 1, H304

50-100%

4 First aid measures

- · Description of first aid measures
 - · After inhalation: Supply fresh air; consult doctor in case of complaints.
 - · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
 - · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

(Contd. on page 3)

Printing date 02/25/2013 Reviewed on 02/25/2013

Product name: YELLOW JACKET Oil and Fluid Dye

(Contd. from page 2)

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Prevent formation of aerosols.
- · Protection against explosions and fires: No special measures required.
- · Special Sensitivity: Keep container closed when not in use.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements for storerooms and containers: Store only in the original receptacle.
 - · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Technical systems:

Facilities using this material should be equipped with an eye wash station and a safety shower.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional Occupational Exposure Limit Values for possible hazards during processing:
- Oil mists: When mists / aerosols can occur, the following are recommended: 5 mg/m3 ACGIH TLV
- · Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Do not allow product to reach soil or surface water. Handle with care to minimize any exposure. The usual precautionary measures should be used when handling commercial/industrial chemicals. Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Use of gloves suggested; concentrated dye/pigment products may stain skin if directly contacted.

- · Glove Material No specified glove material; most liquid-impervious protective gloves will suffice.
- Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

Printing date 02/25/2013 Reviewed on 02/25/2013

Product name: YELLOW JACKET Oil and Fluid Dye

· Body protection: Protective work clothing

(Contd. from page 3)

9 Physical and chemical properties

Information on basic physical and cher General Information	mical properties	
· Appearance:		
· Appearance. · Form:	Liquid	
· Color:	Dark yellow Characteristic	
· Odor:		
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	Undetermined.	
<u> </u>		
· Flash point:	> 94°C (> 201 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Solubility in / Miscibility with		
· Water:	Insoluble.	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
 - · Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** Avoid contact with strong oxidizing agents.
- · Hazardous decomposition products:

In the case of a fire, oxides of carbon, fumes, and smoke may be produced.

USA

Printing date 02/25/2013 Reviewed on 02/25/2013

Product name: YELLOW JACKET Oil and Fluid Dye

(Contd. from page 4)

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:
 - · LD/LC50 values that are relevant for classification: Product has not been tested.
 - · Primary irritant effect:
 - · on the skin: Contact may cause irritation.
 - on the eye: Contact may cause irritation.
 - · Sensitization: No sensitizing effects known.
 - · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

- · Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
 - · Recommendation: Packaging can be reused or recycled after cleaning.

14 Transport information

- · UN-Number
 - · DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 6)

Printing date 02/25/2013 Reviewed on 02/25/2013

Product name: YELLOW JACKET Oil and Fluid Dye

		(Contd. from page
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
 - SARA
 - · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA (Occupational Safety & Health Administration)

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

(Contd. on page 7)

Printing date 02/25/2013 Reviewed on 02/25/2013

Product name: YELLOW JACKET Oil and Fluid Dye

(Contd. from page 6)

- · Hazard pictograms GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light naphthenic

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · National regulations:
 - · Other regulations, limitations and prohibitive regulations

This product contains acute and/or chronic hazards under SARA 311 or 312.

16 Other information

The data in this Material Safety Data Sheet relates only to the specific material designated herein. It does not relate to use in combination with any other material or in any process. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the manufacturer/supplier. The data on this sheet are related only to the specific material designated herein, and the information available for all ingredients at the time of creation. Manufacturer/supplier assumes no responsibility for use or reliance upon these data. Any information that is withheld herein (such as exact chemical identity) has been reserved as a trade secret as per applicable regulations.

· Contact: ABH

USA